

STEEL CONDUIT

CONDUIT - GALVANISED STEEL



- Hot dipped galvanised heavy gauge steel conduit welded and screwed.
- Each 3.75m length is threaded at both ends.
- Complete with one solid coupling.
- Complies with BS 4568 Part 1, Class 4 finish.



Size mm	Pack Quantity	Price		Ref. No.
		1	8+	
20mm x 3.75m	8	13.80	13.10	AL5389
25mm x 3.75m	8	19.05	18.30	AL5390

CONDUIT - MALLEABLE IRON BOXES



- Malleable iron conduit boxes available in 20mm and 25mm black enamelled and galvanised finishes.
- Tapped hole in base for earthing screw.
- Supplied without covers or fixing screws.
- Complies with BS EN 50086 - 1: 1994, BS EN 50086 - 2: 1995, BS EN 50086 - 2: 1996.



Size mm	Finish	Pack Quantity	Price		Ref. No.
			1	10+	
Terminal Box					
20mm	Galvanised	10	3.00	2.85	AL5365
20mm	Black Enamel	10	2.40	2.30	AL5366*
25mm	Galvanised	10	3.40	3.25	AL5367
25mm	Black Enamel	10	2.85	2.60	AL5368*
Through Box					
20mm	Galvanised	10	3.40	3.25	AL5369
20mm	Black Enamel	10	2.85	2.60	AL5370*
25mm	Galvanised	10	3.60	3.55	AL5371
25mm	Black Enamel	10	3.10	2.95	AL5372*
Angle Box					
20mm	Galvanised	10	3.40	3.25	AL5373
20mm	Black Enamel	10	2.85	2.60	AL5374*
25mm	Galvanised	10	3.60	3.55	AL5375
25mm	Black Enamel	10	3.10	2.95	AL5376*
Tee Box					
20mm	Galvanised	10	3.55	3.40	AL5377
20mm	Black Enamel	10	2.90	2.85	AL5378*
25mm	Galvanised	10	4.20	4.10	AL5379
25mm	Black Enamel	10	3.55	3.40	AL5380*

Size mm	Finish	Pack Quantity	Price		Ref. No.
			1	10+	
Way Intersection Box					
20mm	Galvanised	10	3.60	3.55	AL5381
U Box					
20mm	Galvanised	10	3.90	3.85	AL5382
20mm	Black Enamel	10	3.15	3.10	AL5383*
Y Box					
20mm	Galvanised	10	4.10	3.90	AL5384
20mm	Black Enamel	10	3.40	3.30	AL5385*
Extension Terminal Box					
20mm	Galvanised	10	4.45	4.25	AL5386
Back Outlet Box					
20mm	Galvanised	10	5.10	4.90	AL5387
Looping In Box					
20mm	Galvanised	10	4.70	4.45	AL5388

*Whilst Stocks Last

CABLE TRAY

- Designed with fast and safe installation.
- Manufactured in pre-galvanised steel to BS EN 10327 and BS EN 10143.
- Integral couplers on all accessories and light duty tray lengths.
- Manufactured in 3 metre lengths.
- Slot pattern designed to provide total flexibility for the positioning of ancillary items.

LIGHT DUTY



Size mm	Price		Ref. No.
	1	10+	
Light Duty Cable Tray 3m Length			
50mm	8.65	8.30	AL5141
75mm	11.40	10.95	AL5142
100mm	13.65	13.00	AL5143
150mm	19.50	18.85	AL5144
225mm	37.40	35.85	AL5145
300mm	60.50	58.20	AL5146
Flat Bend			
50mm	5.60	5.50	AL5152
75mm	6.00	5.80	AL5153
100mm	6.50	6.25	AL5154
150mm	8.05	7.80	AL5155
225mm	11.35	10.95	AL5156
300mm	17.95	17.25	AL5157
Equal Tee			
50mm	8.95	8.55	AL5163
75mm	9.95	9.55	AL5164
100mm	10.55	10.10	AL5165
150mm	16.50	15.85	AL5166
225mm	20.25	19.45	AL5167
300mm	28.15	27.00	AL5168


MEDIUM DUTY



Size mm	Price		Ref. No.
	1	10+	
Medium Duty Cable Tray 3m Length			
75mm	18.05	17.45	AL5147
100mm	18.85	18.25	AL5148
150mm	22.30	21.55	AL5149
225mm	30.10	28.95	AL5150
300mm	42.45	40.90	AL5151
Adjustable Flat Bend 30° to 90°			
75mm	28.60	27.50	AL5158
100mm	30.95	29.70	AL5159
150mm	34.00	32.70	AL5160
225mm	39.95	38.40	AL5161
300mm	51.00	49.10	AL5162
Equal Tee			
75mm	35.50	34.15	AL5169
100mm	38.45	37.00	AL5170
150mm	42.30	40.65	AL5171
225mm	45.25	43.45	AL5172
300mm	56.70	54.45	AL5173
Medium Duty Cable Tray Coupler			
50 x 50mm (Pair)	4.25	4.10	AL5174

TRUNKING


LIGHTING TRUNKING



- Hot-dipped, pre-coated galvanised trunking.
- Complies with BS EN 10327 and BS EN 10143.
- Manufactured in 3.5 metre lengths.
- Easily coupled together by a drive-in-self-aligning coupling which ensures rigidity.
- All accessories 50 x 50mm.
- Covers clip into the trunking body without the use of tools.



Size mm	Price		Ref. No.
	1	10+	
50 x 50mm Lighting Trunking 3.5m Length	23.30	22.40	AL7500
Lighting Trunking Cover Metal 1.75m Length	5.80	5.55	AL7510
Lighting Trunking Cover PVC White 1.75m Length	7.50	7.20	AL7511
90° Elbow Top Cover	14.40	13.80	AL7522
90° Elbow Inside Cover	14.40	13.80	AL7523
90° Elbow Outside Cover	14.40	13.80	AL7524
Tee Top Cover	14.90	14.30	AL7520
Four Way Top Cover	21.80	21.10	AL7521
End Cap	1.70	1.65	AL7526
300mm Coupling	5.40	5.15	AL7529
Cable Retainer	1.70	1.65	AL7525
Attachment Assembly	3.20	3.15	AL7527
Lighting Trunking Suspension Bracket 9.6 Hole Size	2.45	2.35	AL7530
Lighting Trunking Suspension Bracket 20.5 Hole Size	2.45	2.35	AL7531



CABLE TRUNKING



AL7400

AL7414

- Hot dipped galvanized trunking.
- Complies with BS EN 10327 and BS EN 10143.
- Manufactured in 3 metre lengths.
- Comes complete with cover.
- Screwdriver operated turnbuckles giving a positive quick and easy method of cover fixing.
- Rounded corners with pressed captive nut inserts.
- M5 Zinc plated and passivated fixing screws.



Size mm	Price		Ref. No.
	1	10+	
Cable Trunking 3m Length			
50 x 50mm	27.05	26.00	AL7400
75 x 75mm	38.40	36.90	AL7401
100 x 100mm	47.90	46.05	AL7402
150 x 150mm	82.35	79.00	AL7403
Universal Earth Bond Link			
Earth Bond Link (Pack of 10)	10.55	10.10	AL7414
45° Elbow Top Cover			
50 x 50mm	13.00	12.45	AL7458
75 x 75mm	15.00	14.40	AL7459
100 x 100mm	17.80	17.20	AL7460
150 x 150mm	27.40	26.40	AL7461
45° Elbow Inside Cover			
50 x 50mm	13.40	12.90	AL7462
45° Elbow Outside Cover			
50 x 50mm	13.40	12.90	AL7466
90° Elbow Top Cover			
50 x 50mm	12.40	11.85	AL7440
75 x 75mm	13.60	13.10	AL7441
100 x 100mm	16.75	16.15	AL7442
150 x 150mm	26.35	25.30	AL7443
90° Elbow Inside Cover			
50 x 50mm	12.40	11.85	AL7450
75 x 75mm	13.60	13.10	AL7451
100 x 100mm	16.75	16.15	AL7452
150 x 150mm	26.35	25.30	AL7453



AL7462



AL7458



AL7466



AL7440

AL7450



For Jack Chain see page 240

CABLE TRUNKING



Size mm	Price		Ref. No.
	1	10+	
90° Elbow Outside Cover			
50 x 50mm	12.50	12.05	AL7454
75 x 75mm	14.55	14.10	AL7455
100 x 100mm	17.00	16.30	AL7456
150 x 150mm	25.40	24.40	AL7457
Tee Top Cover			
50 x 50mm	12.50	12.05	AL7410
75 x 75mm	14.55	14.10	AL7411
100 x 100mm	17.00	16.30	AL7412
150 x 150mm	25.40	24.45	AL7413
Reducers			
75 to 50mm	23.00	22.10	AL7482
100 to 50mm	26.10	25.15	AL7483
100 to 75mm	26.60	25.55	AL7484
150 to 50mm	30.60	29.45	AL7485
150 to 75mm	35.10	33.65	AL7486
150 to 100mm	37.25	35.80	AL7487
End Caps			
50 x 50mm	3.20	3.10	AL7474
75 x 75mm	4.10	3.85	AL7475
100 x 100mm	4.55	4.40	AL7476
150 x 150mm	7.55	7.20	AL7477
Couplers			
50 x 50mm	3.90	3.75	AL7488
75 x 75mm	4.75	4.50	AL7489
100 x 100mm	6.65	6.30	AL7490
150 x 150mm	8.65	8.25	AL7491
Flange Coupling			
50 x 50mm	4.75	4.50	AL7420
75 x 75mm	5.85	5.55	AL7421
100 x 100mm	6.55	6.20	AL7422
150 x 150mm	8.70	8.45	AL7423
Cable Retainer			
50 x 50mm	2.05	1.90	AL7470
75 x 75mm	2.10	2.05	AL7471
100 x 100mm	2.30	2.15	AL7472
150 x 150mm	3.10	3.05	AL7473
Turnbuckles			
50 x 50mm	11.00	10.60	AL7478
75 x 75mm	11.00	10.60	AL7479
100 x 100mm			
150 x 150mm			
Trunking Covers			
50 x 50mm	24.70	23.75	AL7492
75 x 75mm	31.75	30.55	AL7493
100 x 100mm	41.60	39.90	AL7494
150 x 150mm	52.70	50.65	AL7495



GALVANISING SPRAY PAINT



- Cold galvanising spray paint.
- Heat resistant to 350°C.
- Used for 'sealing' bare steel, especially where galvanised products have been cut.
- 93% zinc content when dry.
- Fast drying - 10 minutes at 20°C.
- CFC free - 500ml aerosol.



Size mm	Price		Ref. No.
	1	10+	
500ml Galvanising Spray Paint	25.30	24.40	AL7690

CHANNEL ACCESSORIES



	Pack Qty	Price		Ref. No.
		1	100+	
Deep Channel End Cap, White	100	1.10	0.95	AL7820
Shallow Channel End Cap, White	100	1.10	0.95	AL7821
Cover Strip Plastic, 3m Length	25	9.50	9.05	AL7822
Lighting Adaptor	25	7.40	7.15	AL7823

CHANNEL SUPPORT SYSTEM

CHANNEL



- Provides the answer whenever there is a need to install cable tray, cable ladder, lighting, pipe work, ducting or any other building services.
- 2.5mm thickness.
- Complies to BS6946.
- Supplied in 3m lengths.



	Price		Ref. No.
	1	10+	
Shallow Support System	22.00	21.20	AL7800
Shallow Slotted Support System	22.10	21.25	AL7805
Deep Support System	29.05	27.90	AL7810
Deep Slotted Support System	28.20	27.05	AL7815

CHANNEL SUPPORT SET SCREWS



	Price		Ref. No.
	1	200+	
M6 x 20mm	0.45	0.40	AL7842
M6 x 25mm	0.45	0.40	AL7843
M8 x 25mm	0.45	0.40	AL7844
M8 x 35mm	0.45	0.40	AL7845
M10 x 25mm	0.45	0.40	AL7846
M10 x 35mm	0.65	0.45	AL7847

CHANNEL SUPPORT THREADED RODS



	Price		Ref. No.
	1	10+	
M6 Threaded Rod	7.60	7.45	AL7848
M8 Threaded Rod	8.40	8.10	AL7849
M10 Threaded Rod	9.95	9.50	AL7850

CHANNEL SUPPORT, SPRING CHANNEL NUTS



	Pack Qty	Price per Pack		Ref. No.
		1	5+	
M6 No Spring	100	81.00	70.00	AL7833
M6 Short Spring	100	86.50	81.00	AL7834
M6 Long Spring	100	92.00	86.50	AL7835
M8 No Spring	100	81.00	70.00	AL7836
M8 Short Spring	100	86.50	81.00	AL7837
M8 Long Spring	100	92.00	86.50	AL7838
M10 No Spring	100	86.50	81.00	AL7839
M10 Short Spring	100	92.00	86.50	AL7840
M10 Long Spring	100	106.00	90.00	AL7841

CHANNEL SUPPORT WASHERS/NUTS



	Pack Qty	Price per Pack		Ref. No.
		1	5+	
M6 Penny Washers	100	8.65	7.60	AL7824
M8 Penny Washers	100	8.65	7.60	AL7825
M10 Penny Washers	100	9.70	8.60	AL7826
M6 Flat Washers	100	5.40	4.30	AL7827
M8 Flat Washers	100	5.40	4.30	AL7828
M10 Flat Washers	100	6.50	5.40	AL7829
M6 Hexagonal Nuts	100	6.50	5.40	AL7830
M8 Hexagonal Nuts	100	7.55	6.45	AL7831
M10 Hexagonal Nuts	100	8.65	7.60	AL7832



QUALITY - PERFORMANCE - VALUE



Every product in the Alto range is performance tested to meet the relevant performance criteria and represents outstanding value for money.




CHANNEL SUPPORT SYSTEMS



Size mm	Price		Ref. No.
	1	50+	
90° Bracket			
50 x 44mm	2.10	1.90	AL7860
50 x 44mm	2.15	2.05	AL7861
101 x 43mm	2.80	2.70	AL7862
101 x 87mm	4.60	4.40	AL7863
90° Bracket - Chamfered Edge			
105 x 41mm	8.70	8.45	AL7867
Square Plates			
40 x 40mm M6 Hole	0.90	0.85	AL7864
40 x 40mm M8 Hole	0.90	0.85	AL7865
40 x 40mm M10 Hole	0.90	0.85	AL7866
L Bracket			
86 x 86mm	4.30	4.20	AL7868
T Bracket			
138 x 89mm	5.25	5.10	AL7869
Base Plate			
100 x 100mm	9.30	9.05	AL7870
U Shaped Beam Clamp			
40 x 50mm	4.05	3.85	AL7871
L Shaped Beam Clamp			
90 x 40mm	8.65	8.35	AL7876
Staggered Beam Clamp			
70 x 35mm	6.55	6.30	AL7877
Window Beam Clamp			
80 x 47mm	6.90	6.60	AL7878
U Beam Clamp			
40 x 80mm	7.45	7.15	AL7879
L Beam Clamp			
70 x 30mm	2.70	2.55	AL7881
Cantilever Arms			
	1	10+	
150mm	11.10	10.65	AL7872
300mm	14.25	13.60	AL7873
450mm	16.50	15.85	AL7874
600mm	18.95	18.30	AL7875

ADAPTABLE BOXES

ADAPTABLE BOXES - BPC



- Finished in epoxy polyester to IEC 60670-1.
- Available with plain sides or knockouts.
- Manufactured to IEC 60670-1



	Price		Ref. No.
	1	5+	
Black Enamel, plain sides			
75 x 75 x 37.5mm	4.40	4.20	AL5710
75 x 75 x 50mm	4.85	4.55	AL5711
100 x 100 x 37.5mm	5.00	4.85	AL5712
100 x 100 x 50mm	5.15	5.00	AL5713
150 x 150 x 50mm	5.50	5.20	AL5714
150 x 150 x 75mm	8.55	8.25	AL3602
Black Enamel, 20mm knockout sides			
75 x 75 x 37.5mm	4.40	4.20	AL5715
75 x 75 x 50mm	4.85	4.55	AL5716
100 x 100 x 37.5mm	5.00	4.85	AL5717
100 x 100 x 50mm	5.15	5.00	AL5718
150 x 150 x 50mm	5.50	5.20	AL5719
150 x 150 x 75mm	8.55	8.25	AL3600

ADAPTABLE BOXES



- Finished in Pre-Galvanised Steel to IEC 60670-1.
- Available with plain sides or knockouts.
- Manufactured to IEC 60670-1



	Price		Ref. No.
	1	5+	
Galvanised, plain sides			
75 x 75 x 37.5mm	5.15	5.00	AL5720
75 x 75 x 50mm	5.35	5.15	AL5721
100 x 100 x 37.5mm	5.55	5.30	AL5722
100 x 100 x 50mm	5.70	5.55	AL5723
150 x 150 x 50mm	8.10	7.70	AL5724
150 x 150 x 75mm	9.60	9.20	AL3603
Galvanised, 20mm knockout sides			
75 x 75 x 37.5mm	5.15	5.00	AL5725
75 x 75 x 50mm	5.35	5.15	AL5726
100 x 100 x 37.5mm	5.55	5.30	AL5727
100 x 100 x 50mm	5.70	5.55	AL5728
150 x 150 x 50mm	8.10	7.70	AL5729
150 x 150 x 75mm	9.60	9.20	AL3601

SAME DAY/NEXT DAY DELIVERY ON EVERY PRODUCT IN THIS CATALOGUE



Place your order by 5:30pm at your local WF branch and it will be delivered to your chosen location next day.

METAL CHANNELLING



- 2m Lengths




	Price		Ref. No.
	1	10+	
12mm, Galvanised	2.05	1.90	AL3100
25mm, Galvanised	2.30	2.25	AL3101
38mm, Galvanised	2.85	2.75	AL3102

CAVITY FLOORBOX



Dimensions in mm




- Fully compatible with all types of cavity floor systems.
- Three compartments as standard.
- Available with or without plates.
- Stylish grey flanged plastic trim to conceal cut carpet edge.
- Top tile fixing.
- Facility to accept 20mm / 25mm flexible conduit.
- 180° opening trap.
- Corrosion protected galvanised steel box.
- Plates secured by two screws for quick and simple installation.



	Price		Ref. No.
	1	10+	
Excluding Accessory Plates	33.90	32.55	AL3607
Including 3 Accessory Plates (AL3611, AL3612, AL3608)	47.50	45.80	AL3606

CAVITY FLOORBOX ACCESSORIES



	Price		Ref. No.
	1	10+	
Blanking Panel	2.90	2.80	AL3608
Outlet Plate to Accept 1 x 2G Accessory	5.50	5.20	AL3611
Outlet Plate to Accept Twin Socket	13.40	12.90	AL3613
Outlet Plate to Accept 2 x 1G Accessory	5.50	5.20	AL3609
Outlet Plate to Accept 4 x RJ45	3.50	3.20	AL3612
Outlet Plate to Accept Euro Modules	5.85	5.65	AL3614